



SHIMMERING LIP GLOSS WITH JOJOBA GLAZE® - LV

A shimmering lip gloss with **JOJOBA GLAZE® - LV** to enhance gloss. **JOJOBA GLAZE® - LV** also facilitates the suspension of pigment at high temperatures, providing an even dispersion of color upon application.

| INCI NAME | TRADE NAME | WT. % |
|---|---|--------------|
| Phase A | | |
| Simmondsia Chinensis (Jojoba) Seed Oil (and) | JOJOBA GLAZE® - LV ¹ | 80.00 |
| Ethylene/Propylene/Styrene Copolymer (and) | | |
| Butylene/Ethylene/Styrene Copolymer | | |
| Polythylene | AC 617 Poethylene ² | 15.20 |
| Phase B | | |
| Pigment Dispersion #A2065 | See below | 1.60 |
| Mica (and) Titanium Dioxide (and) Iron Oxide | Timiron MP-29 Sun Gold Sparkle ³ | 3.20 |
| | | <hr/> 100.00 |
| Pigment Dispersion #A2065 (rollermilled) | | |
| Simmondsia Chinensis (Jojoba) Seed Oil (and) | JOJOBA GLAZE® - LV ¹ | 55.00 |
| Ethylene/Propylene/Styrene Copolymer (and) | | |
| Butylene/Ethylene/Styrene Copolymer | | |
| D&C Red 7 Calcium Lake | C19-011 D&C Red 7 Ca Lake ⁴ | 10.00 |
| D&C Red 6 Barium Lake | C19-012 D&C Red 6 Ba Lake ⁴ | 18.00 |
| Iron Oxides | C33-134 Black ⁴ | 4.00 |
| Titanium Dioxide | C47-056 Titanium Dioxide ⁴ | 13.00 |
| | | <hr/> 100.00 |

Procedure

Heat phase A to 90C with lightening, until clear. Add phase B to shade with lightening. Pour at 90C into warmed pans. Heat gun surface.

Suppliers

¹ Desert Whale Jojoba Co.

² Honeywell

³ EMD Chemicals

⁴ Sun Chemical

~ DISPERSION ~ GLOSS ENHANCING ~ MOISTURIZING ~ SUSPENSION ~ VISCOSITY BOOSTING ~

JOJOBA GLAZE® is a registered trademark of Desert Whale Jojoba Company, Inc.

This information is based on our present state of knowledge. No warranty is expressed or implied as to the use or application of this product. The suitability and safety of the final formulation should be confirmed in all respects by appropriate evaluation.